

Dräger HPS® 7000 Head Protection

The multipurpose Dräger HPS® 7000 firefighter's helmet is in a class of its own, thanks to its innovative, sporty and dynamic design, ergonomic fit and components which make it a multifunctional system solution. It provides optimum protection during every operation.



Dräger HPS® 7000

Facial protection visor

Integrated, clear, clear with anti-scratch/anti-fog coating or gold-coated as options

Eye protection visor

Integrated, clear, clear with anti-scratch coating or tinted as options (only for PRO versions)

Mask-helmet connection

Adjustable, universal mask receptacle (only for Standard and PRO versions)

Eye-protection lever

Operation of the eye-protection visor on both sides (only for PRO versions)

Reflective stripes (optional)

Made of flameproof material

Adjustment wheel

Adjustable head size from the outside

Neck-protection holder

Attach various neck protections via snap system



D-59597-2012

Benefits

Firefighting helmet with tailor-made fit for every head

To meet this requirement, Dräger developed the HPS® 7000 firefighting helmet in close cooperation with customers worldwide. Two helmet shells for head sizes from 50 to 66 cm cover a wide range of individual head and face shapes. With a weight of approx. 1,380 g in the basic version, it is one of the lightest helmets in its class. In addition to its comfortable interior fitting made of skin-friendly, anti-allergic and flexible materials, the Dräger HPS 7000 stands out with its high level of operating and wearing comfort.

Comfort is a matter of position

The padded 4-point harness allows for safe and easy adjustment to any head shape. The optimum balance of the firefighting helmet can be adjusted individually in the neck and chin area. The padding made of Nomex® also ensures a comfortable fit. The integrated comfort hairnet enables the height to be adjusted and assures a good climate inside the helmet. During operation, the head size can be adjusted quickly via an easy-to-operate size-adjustment wheel with a safety mechanism on the outer shell, even with wet and thick gloves.

Nomex® is a registered trademark of the company DuPont.

Design at its strongest

The ergonomic firefighting helmet design evenly distributes the weight to the head and relieves the neck muscles. The large and modern facial protection visor offers unrestricted protection with best visibility. For operations under chemical protective suits, the visor can be fixed permanently. A safe alternative is provided by the integrated and individually adjustable eye protection visor with an integrated soft-pad edge protection. Both visors leave enough space for the simultaneous use of corrective glasses or respiratory masks. A firefighter's helmet is more than a mere piece of equipment – it serves as a personal distinguishing feature. Therefore, you can configure the helmet according to your wishes: select from a variety of colours and also pick an individual emblem for your front plate.

Innovative system design

As a provider of integrated system solutions, Dräger sets new standards for the interaction of its products. The universally and individually adjustable mask connection system of the Dräger HPS 7000 creates a strong and safe helmet-mask combination. The full-face mask Dräger FPS 7000 especially as mask-helmet-combination, the Dräger HPS-COM helmet communication system and the SCBA of the PSS series allow you to optimally configure the overall system. The lightweight LED helmet lamp is integrated into the helmet shell and illuminates the whole working area. It is located in the centre of the front plate and has an effective glare shield as well as an intelligent battery management system. The interior fitting can be equipped with various audio/speech headsets for different radios. This ensures reliable communication even in loud environments.

Benefits

Highest safety – the material mix makes the difference

Despite its low weight, our multipurpose firefighting helmet Dräger HPS 7000 is one of the safest full-shell helmets in its class. Its outer shell of composite material in combination with the PUR inner shell provides reliable protection against thermal and mechanical influences. The plastic reinforced with fibreglass and aramid webbing resists extreme temperatures. It is even able to withstand the enormous radiation caused by the heat and flame engulfment of a flash over. The visors, made of high-temperature-resistant polyether sulphone, reliably protect your eyes and face against high heat, particles and liquid chemicals.

Nothing left to be desired

A comprehensive accessory programme completes the Dräger package. Reflective stripes improve your visibility under unfavourable conditions and allow for individual marking. Matched to your clothing, the various neck-protection versions reliably keep your back free. Separate helmet lamps are attached with a lamp adapter on the right or left helmet side. A Nomex® fabric protects your firefighting helmet in any training situation and extends its service life. Helmet bags and cases provide safe storage and transport.

Ready again in no time at all

The Dräger HPS 7000 firefighting helmet is easy and efficient to service, thanks to the minimum number of components. The entire interior fitting can be removed and reinstalled in just a few steps. You can replace individual components easily and quickly using standard tools. All helmet components are cleaned and disinfected manually or in an industrial washing machine.

Awards



System Components



Dräger FPS® 7000

The Dräger FPS® 7000 full-face mask series sets new standards in terms of safety and wearing comfort. Thanks to its enhanced ergonomics and the availability of multiple sizes, it offers a large, optimised field of vision and a very comfortable, secure fit.



Dräger HPS®-COM

The Dräger HPS®-COM is a robust, easy-to-install communication unit for firefighting helmets. Thanks to the latest technology, it delivers excellent audio performance. You can choose between two different base units and four microphone options, suitable for a wide range of application scenarios.

Accessories



D-56197-2012

Facial protection visor PESU for Dräger HPS® 7000

The integrated, large and ergonomic facial protection visor made of polyethersulfone protects you safely from extreme heat, particles and liquid chemicals. It also offers the best visibility. It is made to fit a wide range of individual face sizes and shapes, including the wearing of corrective spectacles. The visor is available in different versions: clear, clear/anti-scratch coating, gold-plated (protection against heat radiation) or anti-fog coating.



D-56198-2012

Eye protection visor for Dräger HPS® 7000

The eye protection visor is operated from the outside by two levers (suitable for both left- and right-handed use) and have a 2-position setting for adjustment to individual face sizes and shapes including the use of corrective spectacles. The integrated soft-pad edge protection ensures a comfortable fit. The eye protection visor is available in different versions: clear, clear/anti-scratch coating and tinted exclusively for the Dräger HPS® 7000 PRO.



D-46870-2015

Neck protection for Dräger HPS® 7000

The neck protection can be quickly and securely attached via a plug-in system with four snap fasteners. Several designs are available:

- Short, close-fitting aramid version with integrated fold
- Alu-aramid version in different lengths
- Dutch version made of a 3-layer, high-quality aramid fabric, resistant to many acids and alkalis



D-56209-2012

Helmet lamp LED for Dräger HPS® 7000

The light-weight LED helmet lamp is integrated into the helmet shell and illuminates the whole working area. It is located in the centre of the front plate and has an effective glare shield. The 3W high-performance LED has four modes and three lighting levels (bright, dimmed, flashing light, off). A function and battery test is integrated and the battery status is displayed during use.

Accessories



D-1131-2010

Lamps Dräger PX1 and PX1 shorty LED

High-performance lamps Dräger PX1 and Dräger PX1 shorty with new LED technology. The lamps can be attached on the left and/or the right side of the helmet.

Related Products



D-28816-2015

Dräger HPS® 3500

The Dräger HPS® 3500 – a multifunctional and universal helmet for the diverse requirements of rescue teams during search and rescue, forest and bush fire fighting, traffic accidents, rescue from heights, water rescue and any kind of technical assistance.



D-37163-2015

Dräger HPS® 4500

The Dräger HPS® 4500 is a traditional half-shell helmet with a modern design. Its robust outer shell provides you with excellent protection against impact and extreme heat. With a modern visor design, the helmet has superior wearer comfort due to ergonomic and lightweight internal components. A comprehensive range of accessories make our solution a truly versatile helmet across a variety of applications.

Technical Data

Dräger HPS® 7000

Size	Two helmet shell sizes, H1: for head size 52 to 62 and optional for 50/51 (when using a separate padding strip), H2: for head size 56 to 64/66, continuously adjustable via adjustment wheel
Weight	HPS® 7000 Basic-H1: ca. 1,380 g (±5 %) HPS® 7000 Basic-H2: 1,680 g (±5 %) HPS® 7000 Standard-H1: ca. 1,480 g (±5 %) HPS® 7000 Standard-H2: 1,780 g (±5 %) HPS® 7000 PRO-H1: ca. 1,580 g (±5 %) HPS® 7000 PRO-H2: 1,880 g (±5 %)
Material, outer shell	Composite consisting of fibreglass-reinforced plastic (PA-GF) and additionally reinforced with aramid webbing, high- temperature-resistant
Colours	black (RAL 9005) bright orange (RAL 2005) bright yellow (RAL 1026) chrome luminescent (similar to RAL 110) luminescent yellow (similar to RAL 1016) red (RAL 3000) signal blue (RAL 5005) white aluminium (RAL 9006) white (RAL 9010) yellow green (RAL 6018) zinc yellow (RAL 1018)
Mask connection (only for PRO version)	Option to attach any adapter mask, e.g. Dräger FPS® 7000 with s- or q-fix adapter, adjustable to four positions
Interior fitting	Flame-resistant and washable 4-point harness made of Nomex®, sweat band of eco-leather, head support ring with patented wheel- adjustment system, integrated hairnet or multilayer comfort pad, fixing lever for facial protection visor and communication adapter
Facial protection visor	Variant clear or clear with anti-scratch coating, gold-coated or anti-fog coating 2.5 mm polyether sulphone, approved acc. to EN 14458:2018 with the options R1/R2 -40 °C/+120 °C or -30 °C/+50°C, BT, K, N, E1/E3, UV 2–4, IR 4–4 optical class 1 depending on version
Eye protection visor (only for PRO version)	Variant clear or clear with anti-scratch coating, 2.5 mm polyether sulphone with softpad edge protection, approved acc. to EN 14458:2018 with the options -30 °C/+50 °C, BT, K, E1/E3, optical class 1 depending on version, adjustable to two positions Variant tinted: 2,5 polycarbonate with softpad edge protection, grey tinted with 60 % absorption, approved acc. to EN 166:2001, ultraviolet filter 2C-2, sun glare filter 5-2, optical class 1, strength class BT (120 m/s), adjustable to two positions

Technical Data

Approvals, helmet	<p>EN 443:2008 standard for firefighting helmets (Typ B 3b, C, E2, E3, -40 °C), DIN 58610:2014 standard for a mask-helmet combination, EN 16471:2014 firefighting helmets for wildland firefighting EN 16473:2014 firefighting helmets for technical rescue MED 2014/90/EU standard for firefighting helmets onboard ships SOLAS II-2/ 10.10; IMO Res. MSC.327(90): International standard for firefighting helmets onboard ships GOST Russian standard for firefighting helmets CA 32.878 Brazilian standard for firefighting helmets GA44-2015 Chinese standard for firefighting helmets (EU) 2016/425 personal protection equipment regulation</p>
-------------------	--

Helmet lamp HPS® 7000	
Material	Fibreglass-reinforced plastic (PA-GF), high-temperature-resistant
Total dimension	Approx. 55 mm wide x 43 mm high x 105 mm long
Weight	With batteries: approx. 125 g, without batteries: approx. 80 g
Light technology	Power LED lighting level 1: approx. 43 lm lighting level 2: approx. 25 lm lighting level 3: "flashing light" with changing performance of approx. 43 lm or 0 lm
Power supply	2 AA/LR6/MN1500 alkaline batteries, intelligent battery-management system
Usage time	Lighting level 1: approx. 5 hours Lighting level 2: approx. 11 hours Lighting level 3: approx. 10 hours
Protection class	IP67
Approval HPS® 7000 helmet lamp	IECEX: Ex ib IIC T4/T3 Gb ATEX: II 2G Ex ib IIC T4/T3 Gb

Variants	Dräger HPS® 7000 Basic	Dräger HPS® 7000 Standard	Dräger HPS® 7000 PRO
Integrated facial protection visor	yes	yes	yes
Integrated eye protection visor	no	no	yes
Possibility of using helmet-mask combination	no	yes	yes
Connection of integrated HPS® 7000 helmet lamp	optional	optional	optional
Connection of external helmet lamp	no	optional	optional

Ordering Information

Dräger HPS® 7000 Basic, with matt-black front plate, without reflective stripes	Order No. H1	Order No. H2
Dräger HPS® 7000 Basic luminescent	R 79 170	R 79 572
Dräger HPS® 7000 Basic red	R 79 172	R 79 572
Dräger HPS® 7000 Basic bright yellow	R 79 173	R 79 572
Dräger HPS® 7000 Basic black	R 79 177	R 79 572

Ordering Information

Dräger HPS® 7000 Standard, with matt-black front plate, without reflective stripes	Order No. H1	Order No. H2
Dräger HPS® 7000 Standard luminescent	R 79 364	R 79 572
Dräger HPS® 7000 Standard white	R 79 366	R 79 572
Dräger HPS® 7000 Standard red	R 79 368	R 79 572
Dräger HPS® 7000 Standard bright yellow	R 79 353	R 79 572
Dräger HPS® 7000 PRO, with helmet shell and front plate in same colour, silver reflective stripes and Dräger Logo	Order No. H1	Order No. H2
Dräger HPS® 7000 PRO red	R 79 182	R 79 572
Dräger HPS® 7000 PRO bright yellow	R 79 183	R 79 572
Dräger HPS® 7000 PRO, with matt-black front plate, silver reflective stripes and Dräger Logo	Order No. H1	Order No. H2
Dräger HPS® 7000 PRO luminescent	R 79 250	R 79 420
Dräger HPS® 7000 PRO white	R 79 251	R 79 572
Dräger HPS® 7000 PRO red	R 79 252	R 79 572
Dräger HPS® 7000 PRO bright yellow	R 79 253	R 79 423
Dräger HPS® 7000 PRO black	R 79 257	R 79 572
Dräger HPS® 7000 PRO chrome	R 79 259	R 79 572
Further versions of the Dräger HPS® 7000 are available on request, via configurator system number	R 79 571	R 79 572
Accessories / Spare parts		
Neck protection aramid, aluminium short	37 00 329	37 00 329
Neck protection aramid, aluminium	R 79 145	R 79 145
Neck protection aramid, aluminium XXL	R 79 480	R 79 480
Neck protection aramid, short	R 79 146	R 79 146
Neck protection aramid, Dutch version, three-layer	R 79 147	R 79 147
HPS® 7000 helmet lamp LED, integrated	R 79 013	R 79 013
To attach the integrated LED helmet lamp, order separately: kit front plate for HPS® 7000 helmet lamp	R 79 226	R 79 226
Lamp holder HPS® 7000 (for helmet lamps Dräger PX 1)	R 79 129	R 79 129
Lamp holder for Adaro helmet lamp	R 79 493	R 79 493
Helmet lamp Dräger PX 1 LED	R 62 350	R 62 350
Helmet lamp Dräger PX Shorty	37 01 450	37 01 450
HPS®-COM plug protection	R 80 042	R 80 042
HPS® 7000 facial protection PESU, clear	R 79 239	R 79 463
HPS® 7000 facial protection PESU, AS (anti-scratch coated), clear	R 79 260	R 79 464
HPS® 7000 facial protection PESU, gold	R 79 262	R 79 465
HPS® 7000 facial protection PESU, AF (anti-fog)	R 79 324	R 79 339
HPS® 7000 eye protection PESU, clear	R 79 231	R 79 460
HPS® 7000 eye protection PESU, AS (anti-scratch coated), clear	R 79 267	R 79 461
HPS® 7000 eye protection PC, tinted	R 79 270	R 79 333
Reflective stripes 3-parts, rear		
silver	R 79 284	R 79 466
red	R 79 141	R 79 467
yellow	R 79 142	R 79 468
blue	R 79 143	R 79 469
orange	R 79 169	R 79 470
Reflective stripes 2-parts, rear		
silver	37 00 631	37 00 632

Ordering Information

	red	R 80 092	R 80 096
	yellow	R 80 094	R 80 098
	blue	R 80 093	R 80 097
	orange	R 80 095	R 80 099
Reflective stripes "wing", lateral	red	R 80 063	R 80 063
	gold	R 80 064	R 80 064
	silver	R 80 065	R 80 065
	black	R 80 066	R 80 066
Reflective stripes "2 arcs", front	red	37 00 582	37 00 582
	gold	37 00 583	37 00 583
	silver	37 00 584	37 00 584
	black	37 00 585	37 00 585
Reflective stripes, service grade		R 79 006	R 79 006
HPS® 7000 customised marking		R 80 089	R 80 089
HPS® 7000 head pad for size 50/51		R 79 277	
HPS® 7000 comfort pad		R 80 036	R 80 036
Helmet carrying bag for transport and storage, large		R 58 555	R 58 555
Helmet carrying bag for transport and storage, small		R 68 555	R 68 555
HPS® 7000 helmet pouch		R 79 282	R 79 282
HPS® 7000 Helmet protection cover (for training purpose)		R 79 279	R 79 279
Washing bag		65 700 03	65 700 03
RFID tag		33 626 17	33 626 17
Barcode label outer edge 30 x 13 mm		AG 02395	AG 02395
Barcode label outer edge 22 x 8 mm		AG 02551	AG 02551
Dräger HPS®-COM boom mic		37 03 820	37 03 820
Dräger HPS®-COM short mic		37 03 821	37 03 821
Dräger HPS®-COM skull mic		37 03 822	37 03 822
Dräger HPS®-COM throat mic		37 03 823	37 03 823
Dräger HPS®-COM dual: skull-/boom mic		37 03 830	37 03 830
Dräger HPS®-COM dual: skull-/short mic		37 03 831	37 03 831

Notes

Not all products, features, or services are for sale in all countries.
Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
www.draeger.com

REGION DACH

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION MIDDLE EAST, AFRICA

Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA PACIFIC

Dräger Singapore Pte. Ltd.
61 Science Park Road
The Galen #04-01
Singapore 117525
Tel: +65 6872 9288
Fax: +65 6259 0398
asia.pacific@draeger.com

REGION CENTRAL AND SOUTH AMERICA

Dräger Panamá Comercial
S. de R.L.
59 East Street, Nuevo Paitilla,
House 31, San Francisco Town
Panama City, Panama
Tel +507 377-9100 / Fax -9130
servicioalcliente@draeger.com

Locate your Regional Sales
Representative at:
www.draeger.com/contact

