

## Dräger X-plore® 8000 Powered Air-Purifying Respirator (PAPR)

Challenging workplace conditions demand reliable solutions. The Dräger X-plore® 8000 offers a new level of intuitive handling combined with intelligent electronics that provide the high degree of safety your people need to focus on the task at hand.



### **Intelligent alarm system**

Two-step alarm concept with differentiation of risk level

### **Lithium-ion technology**

Operating time between 4 and 20 hours depending on the working conditions and system set-up

### **IP65 protection**

IP65 for optimal protection and easy decontamination

### **Filter recognition**

Advanced sensor technology recognises the correct filter and displays particle filter saturation properly

### **Hose identification**

Automatic adjustment of minimum flow rate for attached headpiece

## Benefits

---

### **Robust: Designed for daily use in tough environments, even in explosive atmospheres**

Let's face it: for your workplace, only the most rugged design will do. The Dräger X-plore 8000 features heavy-duty design with rubber protectors and high ingress protection (IP65) against dust and water jets from any direction. Two battery versions incorporating the latest Li-ion battery technology provide power for at least 4 h (standard version) or 8 h (high-capacity version), respectively. The air inlets are protected from frontal moving debris, ensuring that sparks or water do not come into direct contact with the filter.

In work areas requiring explosion protection, the special Dräger X-plore 8700 model provides optimal support. It is ex-approved and can be used in ex-zones 1, 2, 21 and 22.

---

### **Comfortable: Let the user focus on the task**

The Dräger X-plore 8000 lets your employees do their job and forget about the PAPR they need for proper personal protection. The advanced carrying system ensures optimal distribution of the weight. The system provides a tight and stable connection between the belt and the unit through a special adaptor plate; a comfort pad is also available as an option. The hose connector features a 360° click adaptor. New headpieces are designed for optimal airflow and maximum comfort to avoid unpleasant eye irritation.

---

### **Safe: Self-explanatory operation minimises user error**

The unit recognises connected headgear and automatically selects the correct minimum flow rate, avoiding leakages caused by insufficient flow rates. An optical sensor prevents use without the filter and supports the right display of the saturation of the particle filter at any time. The filter system features plug-and-go exchange. In addition to the optical and acoustical alarm, the unit is also equipped with a vibration alarm. The entire system features uniform colour codes on all exchangeable elements and an error-proof hose connector.

---

### **Easy to maintain: Efficient cleaning together with secure operation**

The Dräger X-plore 8000 was designed to be practically maintenance-free, leading to low cost of ownership. The self-check and self-adjustment systems feature advanced temperature and pressure sensor technology to ensure the right flow rate for any environment. The simple and efficient charging system allows rapid charging (under 4 h for an empty battery). The unit is designed for fast and easy disassembly for cleaning.

---

### **Modular: A wide range of components for every application**

The Dräger X-plore 8000 offers a number of user-friendly standard and specialised carrying systems for standard and decontamination applications. Dräger has also developed a wide range of tight- and loose-fitting headgear such as half and full-face masks, short and long hoods and helmets with visor and protective visor. Standard and enhanced flexibility hoses are available and compatibility is ensured. Components and accessories can be combined to best fit your application, and system upgrades are possible at any time.

## Details



D-118879-2013-thumbnaill-hires-print

Dräger X-plore® 8500



D-617-2014-thumbnaill-hires-print

Dräger X-plore® 8700 EX

## System Components



D-119066-2013

### Dräger X-plore® 8000 Batteries

Lithium-ion battery for Dräger X-plore® 8000 – available as a standard battery with a rated battery life of at least 4 hours\* or as a long-life battery with a rated battery life of at least 8 hours\*. Both battery types are also available as ex-protected version for Dräger X-plore® 8700.

(\*at 210 L/min and with P3 filter)



D-118837-2013

### Dräger X-plore® 8000 Charger

The Dräger X-plore® 8000 charging system can charge a flat battery in less than four hours. The battery will be at least 80% charged after two hours. In addition to the Standard Charger, a Multi-Unit Charger is offered. You can connect up to five modules in order to load batteries in parallel.

## System Components



D-38276-2015

### Dräger X-plore® 8000 Filter

The Dräger X-plore® 8000 filter series offers an extensive programme of various filter types for all essential application fields and protects against a number of gases and vapours.



D-119049-2013

### Dräger X-plore® 8000 Belt

Three belt versions are available for the Dräger X-plore® 8000 series: a standard belt, a decon belt (each with an optional belt extension) and a welding belt.



D-119071-2013

### Dräger X-plore® 8000 Hood

Dräger X-plore® 8000 hoods are available as a standard version or a premium version, and in short or long models. Using these hoods is advisable in all areas where additional head and eye protection is not mandated by regulations.



D-160-2017

### Dräger X-plore® 8000 Helmets and Visors

The Dräger X-plore® 8000 helmets and visors are particularly suitable for industrial environments in which head and eye protection is required. In addition to a protective visor and a helmet with a visor, the portfolio also includes a special visor for welders.

## System Components



D-38275-2015

### Dräger X-plore® Half and Full-Face Masks

The Dräger X-plore® half and full-face masks offer the highest level of flexibility and optimal protection, including the additional requirements for closed breathing connections.



D-38277-2015

### Dräger X-plore® 8000 Breathing Hoses

The Dräger X-plore® 8000 system offers three different breathing hoses to match your headgear. Hoses are also available as standard or flexible versions.

## Accessories



D-118051-2013

### Dräger X-plore® 8000 Comfort Pad

The Dräger X-plore® 8000 standard belt can be enhanced with a comfort pad, thus offering additional wearing comfort.

## Accessories



D-43805-2015

### Dräger X-plore® 8000 Shoulder Carrying System


The shoulder carrying system can be combined with all Dräger X-plore® 8000 belt versions and offers better distribution of weight.



D-13072-2018

### Dräger X-plore® 8000 Unit Cover

The unit cover protects the Dräger X-plore® 8500 and 8700 (EX) against dirt and dust thereby making cleaning easier. It is constructed from a polypropylene textile and is pulled over the device incl. the filter like a protective cover.



D-118954-2013

### Dräger X-plore® 8000 Prefilter

For use with Dräger X-plore® 8000 particle or combination filters in order to extend the usage period.



D-43811-2015

### Dräger X-plore® 8000 Odour Filters

For use with Dräger X-plore® 8000 particle filters in order to filter out annoying odours.

## Technical Data

### Dräger X-plore® 8000

Approvals	EN 12941 with Dräger X-plore® 8000 Hoods, Helmets and Visors EN 12942 with Dräger X-plore® 4740/6000 half and full-face masks incl. Dräger FPS® 7000 full-face mask ATEX* II 2G Ex ib IIB T4 Gb II 2D Ex ib IIIB T135°C Db T <sub>AMB</sub> : -10 °C < Ta < +50 °C IECEX* Ex ib IIB T4 Gb Ex ib IIIB T135°C Db T <sub>AMB</sub> : -10 °C < Ta < +50 °C
Ingress protection	IP65 (dust-tight and resistant to water jets from all sides)
Airflow	Automatic setting of operating type: loose- or tight-fitting headpiece; Adjustable in three levels: Half and full-face mask: 115, 130 or 145 l/min Hoods, Helmets and Visors: 170, 190 or 210 l/min
Battery technology	Lithium-ions: 12.6 V/3.4 Ah (standard battery), 12.6 V/6.8 Ah (high-capacity battery)
Operating time**	Standard battery: 4 - 8 hours High-capacity battery: 8 - 20 hours
Charging time	Approx. 4 hours (in two hours 80% can be reached)
Weight	Dräger X-plore® 8500 incl. standard battery and splash guard lid: approx. 1,400 g Dräger X-plore® 8700 incl. standard battery (EX) and splash guard lid: approx. 1,500 g
Alarm system	Optical alarm (operating display) Acoustical alarm (≥ 80 dB(A) at 1 m) Vibration alarm
Belt length	Adjustable between 700 mm and 1,400 mm (standard and decontamination version)
Belt extension	350 mm (standard and decontamination version)

\* Standard long hoods, disposable hose cover and welding visor must not be used in potentially explosive atmospheres.

In combination with the optional unit cover the X-plore 8700 complies with explosion group IIA/IIIB.

\*\* Dependent upon the adjusted flow, the facepiece in use and the type of filter.

## Ordering Information

Component	Description	Order number
Blower unit	Dräger X-plore® 8500	R 59 500
	Dräger X-plore® 8700 (EX)	R 59 550
Batteries	Dräger X-plore® 8000 Standard battery	R 59 565
	Dräger X-plore® 8000 High-capacity battery	R 59 585
	Dräger X-plore® 8000 Standard battery (EX)	R 59 575
	Dräger X-plore® 8000 Standard battery (EX)	R 59 575
	Dräger X-plore® 8000 Standard battery (EX)	R 59 595

## Ordering Information

Charger	High-capacity battery (EX)			
		Dräger X-plore® 8000 Standard charger	R 59 780	
		Dräger X-plore® 8000 Multi-unit charger, 1 module w/o cable	R 59 890	
		Dräger X-plore® 8000 Multi-unit charger, 1 module w/ EU cable	R 59 950	
		Dräger X-plore® 8000 Multi-unit charger, 1 module w/ UK cable	R 59 960	
		Dräger X-plore® 8000 Multi-unit charger, 1 module w/ AUS cable	R 59 970	
		Dräger X-plore® 8000 Multi-unit charger, 1 module w/ USA cable	R 59 980	
	Carrying systems		Dräger X-plore® 8000 Standard belt	R 59 700
			Belt extension for Dräger X-plore® 8000 Standard belt, 35 cm	R 59 750
			Dräger X-plore® 8000 Comfort pad	R 59 730
		Dräger X-plore® 8000 Decon belt	R 59 710	
		Belt extension for Dräger X-plore® 8000 Decon belt, 35 cm	R 59 760	
		Dräger X-plore® 8000 Welding belt	R 59 720	
		Dräger X-plore® 8000 Shoulder carrying system	R 59 740	
Breathing hoses		Standard hoses	Dräger X-plore® 8000 Standard hose (for tight-fitting headpieces)	R 59 630
			Dräger X-plore® 8000 Standard hose (for hoods)	R 59 620
			Dräger X-plore® 8000 Standard hose (for helmets and visors)	R 59 640
			Flexible hoses	Dräger X-plore® 8000 Flexible hose (for tight-fitting headpieces)
		Dräger X-plore® 8000 Flexible hose (for hoods)		R 59 600
		Dräger X-plore® 8000 Flexible hose (for helmets and visors)		R 59 650
		Filter		Prefilter
	Odour filter		Dräger X-plore® 8000	67 39 605



## Ordering Information

	Odour filter	
	Dräger X-plore® 8000	67 39 735
	Odour filter, set	
Particle filter	Dräger X-plore® 8000 Filter P R SL	67 39 535
Gas filter	Dräger X-plore® 8000 Filter A2	67 39 580
	Dräger X-plore® 8000 Filter K2	67 39 585
Combination filter	Dräger X-plore® 8000 Filter A2 P R SL	67 39 545
	Dräger X-plore® 8000 Filter A1B1E1 P R SL	67 39 550
	Dräger X-plore® 8000 Filter A1B1E1K1 Hg P R SL	67 39 555
Accessories	Dräger X-plore® 8000 Storage box	R 59 690
	Dräger X-plore® 8000 Hose cover, disposable	R 59 670
	Dräger X-plore® 8000 Unit cover	R 59 880
	Dräger X-plore® 8000 Hose cover, spark proof	R 59 660

Select the appropriate Dräger X-plore® 8000 respirators for the Dräger X-plore® 8000 PAPR from the available product information:

Dräger X-plore® 8000 hood, helmets, visors und masks.

Please adhere to the instructions for use to ensure the required safety precautions for specific applications are fulfilled.

## Notes

Not all products, features, or services are for sale in all countries.  
Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to [www.draeger.com/trademarks](http://www.draeger.com/trademarks) to find the current status.

### **CORPORATE HEADQUARTERS**

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany  
[www.draeger.com](http://www.draeger.com)

### **REGION DACH**

Dräger Safety AG & Co. KGaA  
Revalstraße 1  
23560 Lübeck, Germany  
Tel +49 451 882 0  
Fax +49 451 882 2080  
[info@draeger.com](mailto:info@draeger.com)

### **REGION EUROPE**

Dräger Safety AG & Co. KGaA  
Revalstraße 1  
23560 Lübeck, Germany  
Tel +49 451 882 0  
Fax +49 451 882 2080  
[info@draeger.com](mailto:info@draeger.com)

### **REGION MIDDLE EAST, AFRICA**

Dräger Safety AG & Co. KGaA  
Branch Office  
P.O. Box 505108  
Dubai, United Arab Emirates  
Tel +971 4 4294 600  
Fax +971 4 4294 699  
[contactuae@draeger.com](mailto:contactuae@draeger.com)

### **REGION ASIA PACIFIC**

Draeger Singapore Pte. Ltd.  
25 International Business Park  
#04-20/21 German Centre  
Singapore 609916  
Tel +65 6308 9400  
Fax +65 6308 9401  
[asia.pacific@draeger.com](mailto:asia.pacific@draeger.com)

### **REGION CENTRAL AND SOUTH AMERICA**

Draeger Panamá Comercial  
S. de R.L.  
59 East Street, Nuevo Paitilla,  
House 31, San Francisco Town  
Panama City, Panama  
Tel +507 377-9100 / Fax -9130  
[servicioalcliente@draeger.com](mailto:servicioalcliente@draeger.com)

Locate your Regional Sales  
Representative at:  
[www.draeger.com/contact](http://www.draeger.com/contact)

