



## Lloyd's Register Approved Service Supplier

<b>Supplier</b>	<b>Poseidon Marine Suppliers Ltd.</b>
<b>Address</b>	6-8 Almiridos street, Piraeus, 185 40, Greece
<b>Contact Details</b>	info@poseidonms.com
<b>Contact Number</b>	+30 2169008575

The above company having been assessed hereby receives approval in accordance with the requirements of Lloyd's Register Procedures for Approval of Service Suppliers as Supplier from the address(es) listed above for the provision of

<b>Service Of Immersion Suits, Thermal Protective Aids, And Chemical Protective Clothing</b>
Ocean Safety Ltd: Typhoon (ISP) Intrepid Mk1 SOLAS Suits Typhoon (ISP) Wessex Mk8 SOLAS Immersion Suits
<b>Inspections And Maintenance Of Fire-Extinguishing Equipment And Systems</b>
<b>Servicing Of Inflatable Liferrafts, Inflatable Lifejackets, Hydrostatic Release Units, Marine Evacuation Systems</b>
Servicing and maintainance of liferafts of the following - SHANGHAI YOULONG RUBBER PRODUCTS CO., LTD: KHA-6/8/ 10/12/15/ 16/20/25/3 0/3 5 KHZ-6/10/15/20/25/30/35/50/65/100/110/I 25/130 KHA-6/8/10/12/15/16/20/25/30/35/(II) KHD-12/ 15/16/20/25/30/3 5; KHZD-15116/20/25/3 0/3 513 7 KHR-6/10/25/30/50/65/100; KHK-6/10/25/30/50/65/100/152 KHY-4/6/8/10/12; KHYJ-4/6/8/10; KHY(SR)-4/6/8/10/12

348 Syggrou Avenue, 176 74, Kalithea, Athens,  
Greece

**Myron Papadimitrakis**

Marine & Offshore Surveyor to Hellenic  
Lloyd's SA  
A member of the Lloyd's Register group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



## Lloyd's Register Approved Service Supplier

<b>Servicing Of Inflatable Liferafts, Inflatable Lifejackets, Hydrostatic Release Units, Marine Evacuation Systems</b>
<ul style="list-style-type: none"><li>- Ocean Safety Ltd:<ul style="list-style-type: none"><li>Ocean SOLAS Throw Over Liferafts</li><li>Ocean SOLAS Davit Liferafts</li><li>Ocean SOLAS Compact Liferafts</li><li>Ocean ISO Liferafts</li><li>Ocean SOLAS ORL Liferafts</li><li>Ocean Jon Buoy Products</li><li>Ocean Safety (Kru / Remploi) Leisure Lifejackets</li><li>Ocean Safety (Kru / Remploi) SOLAS Lifejackets</li></ul></li><li>- Nantong Haizhou Marine Equipment Co.,LTD</li><li>- JIANGSU HUAYAN MARINE EQUIPMENT CO., LTD</li></ul>
<b>Inspections And Maintenance Of Self-Contained Breathing Apparatus</b>
<b>Hydraulic Tests Of Low And High Pressure Cylinders</b>
<b>Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear</b>
<p>This Service Supplier has been approved to service the equipment in accordance with IMO Resolution MSC.402(96), as amended.</p> <p>Service engineers are to be provided with a valid Certificate, issued by this Approved Service Supplier, which defines their level of qualification and the scope of the certification (i.e. makes and types of</p>

348 Syggrou Avenue, 176 74, Kalithea, Athens,  
Greece

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



## Lloyd's Register Approved Service Supplier

**Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear**

equipment and specifically state which activities (e.g. annual thorough examination and operational tests; 5-year thorough examination, overhaul; overload operational tests; repairs) are covered by the certification). This Certificate should be made available when requested.

Service Supplier's personnel are certified in accordance with manufacturers' established certification program. The service supplier is authorized to work on the makes and types shown in the attached appendix A.

This approval is conditional upon the Supplier maintaining the documented scheme as audited by any member of the Lloyd's Register Group and hereby approved; and notifying Lloyd's Register in writing of any change to that scheme including any change in personnel, equipment or procedures. This certificate is issued to the Supplier and, subject to the Supplier complying with the necessary conditions, is valid to the date referred to above.

348 Syggrou Avenue, 176 74, Kalithea, Athens,  
Greece

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



## APPENDIX

Office: **Piraeus**

Date: **10 October 2023**

This Certificate is issued to Poseidon Marine Suppliers Ltd.

The Service Supplier has been approved to service the following equipment in accordance with MSC 402 (96).

No	Maker	Type
1.	<b>Qingdao Beihai Shipbuilding Heavy Industry Co., Ltd</b>	<ul style="list-style-type: none"> <li>- <b>Lifeboat</b> <ul style="list-style-type: none"> <li>a) <b>Total Enclosed:</b> BH-5,5A,5S,5SA,E500,E585,6,6A,6S,E670,7A,7B,8.</li> <li>b) <b>Freefall:</b> BH-F6.0,F7.0A,F7.8,F8.1,F5.8,F6.8,F660,F670,F750,F900/ A</li> <li>c) <b>Rescue:</b> BH-R4,R4S,R4SA,R5S</li> </ul> </li> <li>- <b>Davit</b> <ul style="list-style-type: none"> <li>a) <b>Gravity Pivot:</b> BD-PV50,PV60,PV60S,PV85,PV125</li> <li>b) <b>Freefall launching:</b> BD-F55,55A,55R,FF80,80A,80R,80B,FF65,FF66,FF67,FF85</li> <li>c) <b>Single arm:</b> BD-SAI 4,14A,14B,SA21,21A,SA23,SA30,30A,SA33,SH23</li> </ul> </li> <li>- <b>Winch</b> <ul style="list-style-type: none"> <li>BW-H(L/R)31S,50,63, 75;L(L/R)75,125;SC14;21 ;30</li> </ul> </li> <li>- <b>Release Mechanism</b> <ul style="list-style-type: none"> <li>a) <b>Gravity lifeboat:</b> BG-3,3L, BG-7;BH-HOOK3,HOOK5,FS5,FS7</li> <li>b) <b>Freefall lifeboat:</b> BG-3F,3.5F,4F,4.5F,4.5FL,5F,6F</li> <li>c) <b>Rescue Boat:</b> BG-2R; WUXI XINGSHENG15,23,25,35KN HOOK</li> </ul> </li> </ul>
2.	<b>Jiangsu Jiaoyan Marine Equipment Co.,Ltd</b>	<ul style="list-style-type: none"> <li>- <b>Lifeboat</b> <ul style="list-style-type: none"> <li>a) <b>Total Enclosed:</b> JY-QFP/N-5.0/JY-QFP/N-5.25/JY-QFP/N-5.6/JY-QFP/N-6.0A JY-QFP/N-6.50/JY-QFP/N-7.0/JY-QFP/N-7.5/JY-QFP/N-7.50A/JY-QFP/N-8.00/JY-QFP/N-8.50/JY-QFP/N-8.50X/JY-QFP/N-9.35/JY-QFP/N-10.90A</li> <li>b) <b>Partially Enclosed Lifeboat:</b> JY-BF-110/JY-BF-9.60/JY-BF-9.6A</li> <li>c) <b>Freefall:</b> JY-FN-4.9/JY-FF-4.9/JY-FN-5.8/JY-FF-5.8/JYM-FN-6.65/JYM-FF-6.65/JY-FN-6.8/JY-FF-6.8/JY-FN-7.5/JY-FF-7.5/JY-FN-8.5/JY-FF-8.5/JY-FN/FF-9.5</li> <li>d) <b>Rescue:</b> GJ4.2/GJ4.25/GJ4.5/GJ5.0/GJ5.25/GJ6.0B-1/GJ6.10/GJ7.50/GJ8.0Q-2 /GJ8.5Q-2</li> </ul> </li> <li>- <b>Hook</b> <ul style="list-style-type: none"> <li>JX and JXN Series</li> </ul> </li> <li>- <b>Gravity luffing arm type davit</b> <ul style="list-style-type: none"> <li>JYL52/ JYL55/ JYL65/ JYL85/ JYL105/ JYL135</li> </ul> </li> <li>- <b>Launching appliance</b> <ul style="list-style-type: none"> <li>JYF55 /JYF75 /JYF75-B/ JYF90</li> </ul> </li> <li>- <b>Platform Davit</b> <ul style="list-style-type: none"> <li>JYP65/ JYP85/ JYP105/ JYP135</li> </ul> </li> <li>- <b>Single arm davit</b> <ul style="list-style-type: none"> <li>JYR21 /JYR21S-A / JYRC21/ JYR14/ JYRH14/ JYRH21/ JYR26/ JYR30 /JYR23</li> </ul> </li> <li>- <b>Electric Boat Winch</b> <ul style="list-style-type: none"> <li>FW45 /JYW42 /JYW50 /JYW70 /JYW100 /JYWP70 /JYWP100 /JYWP135 /JYW35 /JYRZ21</li> </ul> </li> </ul>
3.	<b>T-ISS B.V.</b>	<ul style="list-style-type: none"> <li>- <b>Release Hooks</b> <ul style="list-style-type: none"> <li>T-ISS PX-01, PX-02, PX-03</li> </ul> </li> </ul>

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

4.	<b>NARWHAL BOATS SL.</b>	- <b>Lifeboat</b> NARWHAL SV-400, SV-420, SV-480, SV-750 SOLAS RESCUE BOATS and NARWHAL FRB-700 SOLAS FAST RESCUE BOAT
5.	<b>DENİZSAN</b>	- <b>Davits</b> a) <b>Free Fall Davit</b> : DSFFD50 b) <b>Rescue Boat Davit</b> : DSRBD21, DSRBHC21 c) <b>Fast Rescue Boat Davit</b> : DSFRB21 d) <b>Pivoting Lifeboat Davit</b> : DSFV3,5, DSFV7
6.	<b>BALDEN</b>	- <b>Rescue Boats</b> : BD-R01, BD-R02 - <b>Totally Enclosed Lifeboats</b> : BD-LBC1, BD-LBC2, BD-LBT1, BD-LBT2 - <b>Freefall Lifeboats</b> : BD-FFC1, BD-FFC2, BD-FFT1, BD-FFT2, BD-FFC505, BD-FFT505 - <b>On Load Release Systems</b> : BD-LBHR5, BD-LBHR10, BD-LBHR12 - <b>Release Hooks</b> : BD-HR1, BD-HR38
7.	<b>ORIENTAL INSPECTION &amp; SERVICE CO., LTD.</b>	- <b>HINGED GRAVITY TYPE DAVIT &amp; WINCH</b> DAVIT: HGD SERIES, HGK SERIES, SHS SERIES, RTD SERIES, DHA SERIES, DMA SERIES WINCH : BWE SERIES, SWE SERIES, WL SERIES  - <b>FREE FALL DAVIT &amp; WINCH</b> FD SERIES, WL SERIES  - <b>RESCUE/LIFERAFT DAVIT &amp; WINCH</b> RD SERIES, RDW SERIES
8.		
9.		
10.		
11.		
12.		
13.		
14.		

**This Appendix shall be attached to the Service Supplier certificate LR2417660AS-01 and no signature required as this issued electronically.**

M.Papadimitrakis  
Surveyor to Hellenic Lloyd's S.A.

a member of the Lloyd's Register group.