

PROTON S1P SRC



PIGMENTED SPLIT LEATHER BOOTS - S1P SRC

Ref. PROTONS1P



Product specifications

Upper: Pigmented split leather. Lining: Polyamide mesh. Insole: Removable preformed - Polyamide on EVA. Midsole: Injected - PU bi-density.

COLOUR

Black

SIZE

36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47

Product Use - Risks



Antistatic



Shock



Cutting / Perforation



Slip



Agriculture / Green areas



Construction / Civil engineering



Second work /

craftman



Light industry



Services / Logistics

Product's highlights & user's benefits



Ultra flexible anti-perforation composite insole



NON-MAGNETIC
No metal part in the shoe



Composite toe cap 200- joule,
Lighter than steel
Non conductive material



NON-METALLIC



Speed lace



1- Flex-Zone
2- V STAB SYSTEM3- Ladder lateral grips
4- Cleats with grip on all indoor and outdoor surfaces
5- Standards SRC

Certifications and Standards



PPE DIRECTIVE 89/686/EEC



EN ISO 20344:2011 Personal protective equipment - Test methods for footwear

EN ISO 20345:2011 Personal protective equipment - Safety footwear.

S1P: Additional special requirements

SRC: Slip resistance

References

References	Bar code	COLOUR	SIZE		
PROTOSPNO36	3295249195977	Black	36	5	-
PROTOSPNO37	3295249195984	Black	37	5	-
PROTOSPNO38	3295249195991	Black	38	5	-
PROTOSPNO39	3295249168919	Black	39	5	-
PROTOSPNO40	3295249168926	Black	40	5	-
PROTOSPNO41	3295249168933	Black	41	5	-
PROTOSPNO42	3295249168940	Black	42	5	-
PROTOSPNO43	3295249168957	Black	43	5	-
PROTOSPNO44	3295249168964	Black	44	5	-
PROTOSPNO45	3295249168971	Black	45	5	-
PROTOSPNO46	3295249168988	Black	46	5	-
PROTOSPNO47	3295249168995	Black	47	5	-